










NOTE :

CONTROL VALVE OPT. "LOW-BUOY", "A" OR "B" SETTING:

POSITION "A": VALVE OPEN .
AIR FLOW BETWEEN SUPPLY (S) AND
DELIVERY (D), LOW-BUOY IS NOT IN FUNCTION.


POSITION "B": VALVE CLOSED .
AIR DOES NOT FLOW BETWEEN SUPPLY (S)
AND DELIVERY (D), LOW-BUOY IS IN FUNCTION.

BASIC ON D140261 P.1 , COMPLETE DIAGRAM

ITEM	DESCRIPTION
500	3/8" O.D. BLUE TUBE
501	1/2" O.D. BLUE TUBE
502	1/4" O.D. BLUE TUBE

D140261 P.5 REV.A
COACH XL2 45'
FRONT BEAM AXLE SUSPENSION
WITH OPTION FRONT KNEELING
LOW-BUOY AND HIGH-BUOY COMBINATION

DATE : 2000-01



NOTE :

CONTROL VALVE OPT. "LOW-BUOY", "A" OR "B" SETTING:


POSITION "A": VALVE OPEN .
AIR FLOW BETWEEN SUPPLY (S) AND
DELIVERY (D), LOW-BUOY IS NOT IN FUNCTION.

POSITION "B": VALVE CLOSED .
AIR DOES NOT FLOW BETWEEN SUPPLY (S)
AND DELIVERY (D), LOW-BUOY IS IN FUNCTION.

ITEM	DESCRIPTION
500	3/8" O.D. BLUE TUBE
501	1/2" O.D. BLUE TUBE
502	1/4" O.D. BLUE TUBE

COACH XL2 45'
FRONT BEAM AXLE SUSPENSION
WITH OPTION FRONT KNEELING
LOW-BUOY AND HIGH-BUOY COMBINATION

D140261 P.5 REV.B



A		03/00		LANCER OC *97058		ROB	
ITEM	DATE	REVISION				PAR	
PREVOST		JF		ANGLE		METRIQUE	
Projet Car. No. Six-Cinque-Quatre-Quatre CDP 240							
DESIGN	ROB	03/00	VER	M.J.H.		POISS	
TOL. GENERALES		ECHELLE: N/A		POISS			
MIL. *		deg *		DESSIN REF.			
DESSIN FAIT EN SOUS-TRAITANCE				MATERIEL: INSTALLATION			
PAR: REMILAJAIE DE GENICAD				TEL QUEL			
SÉRIE NUMERO...001...199				REF.1			
DERNIER NUMERO...10				OPTION 81004 012 65 1278.1-1271...			
NUMERO LIBRE...				TITRE: OPTION "PARKING BRAKE OVERRULE"			
				TUBES INSTALLATION			
				PIECE No: D140261 P.6			
				ECHELLE DU FORMAT *			