






TUBE COLOR CODING		
ACTIVE	COLOR	CIRCUIT
---	RED	SECONDARY
---	GREEN	PRIMARY & SUPPLY
---	BROWN	PARKING BRAKE
---	BLUE	STANDARD SUSPENSION
---	BLACK & WHITE	ACCESSORIES
---	YELLOW	COMPRESSOR UNLOAD

A	2021/03	DEMANDE SPECIALE		Rob.
REV	DATE	DESCRIPTION		PAR
PREVOST® Prevost Car Inc. Ste-Clair, Quebec, Canada G0R 2V0				 3° ANGLE METRIC
TECH. ING.	Rob.	DATE	2021/03	APPR. P.O. LACHANCE
TOL. GENERALES		ECHELLE	N/A	PODS
mm ± N/A		deg ± N/A	DESSIN REF.: D140354SP6	
MATERIEL		INSTALLATION		
FINI		N/A		
REF.:	H3-45 FRONT BEAM AXLE			
TITRE:	PARKING BRAKE OVERRULE OPTION			
PIECE No:	D140407SP7			CAD

NUMEROTATION RANGE:	001 @ 199
LAST NUMBER USED:	010
UNUSED NUMBERS:	000

LEGEND:	"RES-1": SERVICE TANK	"PT-1": PILOT
"SER-1": SERVICE	"P-1": PRESSURE	"M-1": DRAIN
"EM-1": EMERGENCY	"A-1": ACCESSORY	"S-1": SOLENOID
"EXH-1": EXHAUST	"D-1": DELIVERY	"B-1": SPRING
"BAL-1": BALANCE	"S-1": SUPPLY	


CE DOCUMENT EST LA PROPRIETE EXCLUSIVE DE PREVOST CAR INC.
SITE-CLARE, QUE ET NE PEUT ETRE UTILISE OU REPRODUIT, NI SON
CONTENU COMPLET OU PARTIEL DEVOIT A D'AUTRES, PAR QUOIQUE CE
SOIT, SANS LE CONSENTEMENT ECRIT DE PREVOST CAR INC.



TUBE COLOR CODING		
ACTIVE	COLOR	CIRCUIT
---	RED	SECONDARY
---	GREEN	PRIMARY & SUPPLY
---	YELLOW	PARKING BRAKE
---	BROWN	TRAILER

NUMEROTATION RANGE: 1000 @ 1099		LEGEND:		THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. STE-CLAUDE, QUE., AND MAY NOT BE USED OR REPRODUCED, NOR ITS CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY, SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.	
LAST NUMBER USED: 1010		"SER": SERVICE "EM": EMERGENCY "EXH": EXHAUST "BAL": BALANCE		"RES-1": SERVICE TANK "P": PRESSURE "A": ACCESSORY "D": DELIVERY "S": SUPPLY	
UNUSED NUMBERS: 1002, 1003		"PT.": PILOT "A": DRAIN "S": SOLENOID "SP": SPRING			


B	2015/01	O.C. #2013172	Rob.
A	2013/09	O.C. #2012125	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST Prevost Car Inc. Ste-Clau, Quebec, Canada G0R 2V0			
ENG. TECH:	DATE:	APPR:	BY:
Rob.	2013/06	M.J.H.	
GENERAL TOL:	mm ± N/A deg ± N/A	ECHELLE: N/A	PODS: 0140380 0140381
REF. DRAWING:			
MATERIAL: INSTALLATION			
FINISH: N/A			
REF.: H3-45			
TITLE: OPTIONS TRAILER HITCH AIR BRAKES			
PART NUMBER: D140407 SP1 CAD			



TUBE COLOR CODING		
LINE TYPE	COLOR	CIRCUIT
---	BLACK	ACCESSORIES

NUMEROTATION RANGE:	3000 @ 3099	LEGEND:	"SER": SERVICE	"RES-1": SERVICE TANK	"PT.": PILOT	THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. STE-CLAUDE, QUE., AND MAY NOT BE USED OR REPRODUCED NOR ITS CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.
LAST NUMBER USED:	3001	"EM": EMERGENCY	"P": PRESSURE	"A": ACCESSORY	"D": DELIVERY	
UNUSED NUMBERS:	.	"EXH": EXHAUST	"I": INLET	"S": SUPPLY	"SOL": SOLENOID	
		"BAL": BALANCE			"SPR": SPRING	

B	2015/01	O.C. *2013172	Rob.
A	2013/06	O.C. *2012125	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST® Prevost Car Inc. Ste-Clauire, Quebec, Canada G0R 2V0			3" ANGLE METRIC
ENG. TECH:	DATE:	APPR:	
Rob.	2013/06	M.J.H.	
GENERAL TOL:	mm ± N/A deg ± N/A	ECHELLE: N/A	PODS:
MATERIAL: INSTALLATION			
FINISH: N/A			
REF.: AUTOCAR H3-45 DEMANDE SPECIAL			
TITLE: OPTION RACCORD PNEU. 1er CPT BAGAGE			
PART NUMBER: D140407 SP3			CAD



NUMEROTATION RANGE:	001	0	199
LAST NUMBER USED:	-		
UNUSED NUMBERS:	-		

LEGEND:	"RES-1": SERVICE TANK	"PT.": PILOT
"SER": SERVICE	"P": PRESSURE	"A": DRAIN
"EM": EMERGENCY	"A": ACCESSORY	"S": SOLENOID
"EXH": EXHAUST	"D": DELIVERY	"SPR": SPRING
"BAL": BALANCE	"S": SUPPLY	


THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. STE-CLAUDE, QUE., AND MAY NOT BE USED, OR REPRODUCED, NOR ITS CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY, WITHOUT THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.

REV	DATE	DESCRIPTION	BY
A	2019/09	SPECIAL	Rob.

DATE	2019/09	APPR	M.J.H.
GENERAL TOL.	mm ± N/A deg ± N/A	KIDNELLY N/A	POISSON D140407 PB

MATERIAL:	INSTALLATION
FINISH:	N/A
REF.:	H3-45

TITLE:	PNEUMATIC STORAGE BAY INDEPENDANTE DOORS LOCK OPTION
PART NUMBER:	D140407SP5



TUBE COLOR CODING		
LINE TYPE	COLOR	CIRCUIT
-----	BROWN	AIR LINE SUPPLY
—————	GREEN	AIR LINE BRAKE

NUMEROTATION RANGE:	001	002
LAST NUMBER USED:	002	
UNUSED NUMBERS:		

LEGEND:	"SL": STOP LIGHT SWITCH
"SER": SERVICE	"RES-1": SERVICE TANK
"EM": EMERGENCY	"P": PRESSURE
"EXH": EXHAUST	"A": ACCESSORY
"BAL": BALANCE	"D": DELIVERY
	"S": SUPPLY

"PT": PILOT	THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. STE-CLAUDE, QUE., AND MAY NOT BE USED, OR REPRODUCED, NOR ITS CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.
"A": DRAIN	
"S": SOLENOID	
"SP": SPRING	

A	2020/03	SPECIAL	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST			3° ANGLE
Prevost Car Inc. Ste-Claupe, Quebec, Canada GOR 2V0			METRIC
ENG. TECH:	Rob.	DATE: 2020/03	APPR: M.J.H.
GENERAL TOL:	mm ± N/A	deg ± N/A	POIDS: REF. DRAWING: D140409
MATERIAL: INSTALLATION			
FINISH: N/A			
REF.: SPECIAL H3-45 #L-1092			
TITLE: PNEUMATIC DIAGRAM FRONT AIR LINES QUICK CONNECTORS			
PART NUMBER: D140407SP6			CAD

Pneumatic diagram

PNEUMATIC DIAGRAMS H3-45 COACHES


NO:	D140407P0	REVISION :	J
-----	------------------	------------	----------


EFF. OC#	N/A	PRIOR TO OC#	
EFF. VEH#	N/A	PRIOR TO VEH#	

DR.	R. Bouillon	date	2022-02-24
CHK	Pierre-Olivier Lachance	appr	Pierre-Olivier Lachance

REV.	DATE	DESCRIPTION	PAGE	BY	CHK.	APPR.
A	2013-07-16	Coach H3-45, New platform, rear sub-frame OC #2012125. Included OC #2012082 New Suspension Beam Axle. Preliminary Vehicles #E-2482 & #E-2495 Production Vehicle #E-2505 (Front beam axle suspension) D140407SP3 I-SHIFT Transmission Vehicle #E-2525	-	Rob.	M.J.H.	M.J.H.
B	2015-01-23	Coach H3-45, New front pneumatic unit & New air lines color code OC #2013172. Production Vehicle #F-2923	P.1,2,3,4,5, 6, SP1 & SP3	Rob.	M.J.H.	M.J.H.
C	2015-06-19	Add a muffler on the heater water valve who replaces 6mm OD tube exhaust. OC #2015028. #D140407P6 Update Revision C	P.1	Rob.	M.J.H.	M.J.H.
D	2017-09-29	Come back with exhaust tube 6 mm OD natural white color, On the heater water valve, remove muffler. OC #2015092. Production vehicle H3-45 #J-0042.	P.6 P.1	Rob. Rob.	M.J.H. M.J.H.	M.J.H. M.J.H.
E	2018-03-30	Add new TCM Allison module and R.E.L.S. Reduce Engine Load at Stop OC #2018011, Production vehicle #K-0370	P.5	Rob.	M.J.H.	M.J.H.
F	2019-09-23	Add new Special Customer option : Independante left and right luggage air door lock.	SP5	Rob.	P.O. LAC.	P.O. LAC
G	2020-03-06	SPECIAL Brown Coach: Front quick connect fitting air hose for towing, service compartment.	SP6	Rob.	P.O.LAC.	P.O.LAC.
H	2021-03-18	SPECIAL EL EXPRESO LLC TORNADO : Parking Brake Overrule	SP7	Rob.	P.O.LAC	P.O.LAC
I	2022-01-17	Diagram update, (FRONT AIR MANIFOLD BLOCK)	P.1	RGOS	P.O.LAC	P.O.LAC
J	2022-02-24	SPECIAL BREWSTER WITH RUD CHAIN TRACTION SYSTEM Vehicles : #P-1315, 16, 17, 20, 21	SP4	Rob.	P.O.LAC	P.O.LAC

Page 2 / 2





TUBE COLOR CODING		
ACTIVE	COLOR	SECONDARY
—	RED	PRIMARY & SUPPLY
—	GREEN	PARKING BRAKE
—	BROWN	STANDARD SUSPENSION
—	BLUE	ACCESSORIES
—	BLACK	COMPRESSOR UNLOAD
—	YELLOW	

SAFETY SOLENOID VALVE FOR PARKING BRAKES APPLICATION.
USED ONLY WHEN THE WHEEL CHAIR LIFT
OPTION IS ASKED WITHOUT THE KNEELING OPTION.


DETAIL 1A6
LOC.: 1G2


NUMERATION RANGE:	001 @ 199
LAST NUMBER USED:	062
UNUSED NUMBERS:	14,18,19,21,23,24,25,27,28,37,61,62


LEGEND:	
—SERV: SERVICE TANK	—PT.: PILOT
—P: PRESSURE	—A: DRAIN
—EM: EMERGENCY	—S: SOLENOID
—EXH: EXHAUST	—DEL: DELIVERY
—BAL: BALANCE	—SP: SPRING

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. ANY CLONE, USE, AND MAY NOT BE USED OR REPRODUCED, NOR ITS CONTENT OR PARTS THEREOF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.	
REF.:	H3-45 (FRONT BEAM AXLE)
TITLE:	PNEUMATIC DIAGRAM
PART NUMBER:	D140407 P1 CAD

B	2015/01	O.C. #2013172	Rob.
A	2013/05	O.C. #2012125	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST			
Prevost Car Inc. 514-340-0000/Canada 800-240-0000			
ENG. TEST:	Rob.	2013/05	M.J.H.
GENERAL TOL:	mm ± N/A	deg ± N/A	POSS:
REF. DRAWING: D140381			
MATERIAL: INSTALLATION			
FINISH: N/A			
REF.:			








TUBE COLOR CODING		
ACTIVE	COLOR	CIRCUIT
---	RED	SECONDARY
---	GREEN	PRIMARY & SUPPLY
---	BLACK	ACCESSORIES
---	BLUE	SUSPENSION

NUMEROTATION RANGE:		200 @ 299	LEGEND:	"RES-1": SERVICE TANK "P": PRESSURE "A": ACCESSORY "D": DELIVERY "S": SUPPLY	"PT.": PILOT " / " : DRAIN " S " : SOLENOID " B " : SPRING	THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. SITE-CLIQUE, QUEBEC, CANADA. NO PART OF THIS DOCUMENT OR PART THEREOF IS TO BE REPRODUCED OR USED BY ANY PERSON OR COMPANY WITHOUT THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.
LAST NUMBER USED:		205				
UNUSED NUMBERS:		200				

B	2015/01	O.C. #2013172	Rob.
A	2013/06	O.C. #2012125	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST			3" ANGLE
Prevost Car Inc. Site-Clisque, Quebec, Canada G0R 2V0			METRIC
ENG. TECH:	Rob.	DATE: 2013/06	APPR: M.J.H.
GENERAL TOL.		mm ± N/A deg ± N/A	PODS: D140381
REF. DRAWING:			
MATERIAL: INSTALLATION			
FINISH: N/A			
REF.: H3-45			
TITLE: INDEPENDENT FRONT SUSPENSION OPTION			
PART NUMBER: D140407 P2 CAD			



WITH INDEPENDENT FRONT
SUSPENSION OPTION


WITH FRONT BEAM AXLE OPTION

TUBE COLOR CODING		
LINE TYPE	COLOR	CIRCUIT
---	BLUE	SUSPENSION
---	BROWN	PARKING BRAKES
---	BLACK	ACCESSORIES FOR SUSPENSION

NUMEROTATION RANGE:	300 @ 399	LEGEND:	"SER": SERVICE "EM": EMERGENCY "RES": SERVICE TANK "PT": PILOT "M": DRAIN "ES": SOLENOID "SP": SPRING	THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. STE-CLAUDE, QUE., AND MAY NOT BE USED, OR REPRODUCED, NOR ITS CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.
LAST NUMBER USED:	315	"P": PRESSURE "AI": ACCESSORY "D": DELIVERY "S": SUPPLY		
UNUSED NUMBERS:	302,303,304,306,307,308,309,310,311,312,316			

REV	DATE	DESCRIPTION	BY
B	2015/01	O.C. #2013172	Rob.
A	2013/06	O.C. #2012125	Rob.

ENC. TECH:	DATE:	APPR:	METRIC
Rob.	2013/06	M.J.H.	
GENERAL TOL:	mm ± N/A	deg ± N/A	PODS: D140380 D140381
MATERIAL:	INSTALLATION		
FINISH:	N/A		
REF.:	H3-45		
TITLE:	FRONT KNEELING OPTION		
PART NUMBER:	D140407 P3 CAD		



NOTE:
CONTROL VALVE OPT. "LOW-BUOY" , "A" OR "B" SETTING:
POSITION "A": VALVE IS OPEN,
AIR FLOW BETWEEN SUPPLY (S) AND
DELIVERY (D) , LOW-BUOY IS IN FUNCTION.
POSITION "B": VALVE CLOSED,
AIR DOES'NT FLOW BETWEEN SUPPLY (S) AND
DELIVERY (D) , LOW-BUOY IS NOT IN FUNCTION.


TUBE COLOR CODING		
LINE TYPE	COLOR	CIRCUIT
---	BLUE	SUSPENSION
---	BLACK	ACCESSORIES FOR SUSPENSION


NUMEROTATION RANGE:	400	Ø	499
LAST NUMBER USED:	412		
UNUSED NUMBERS:	401,402,410,411,413		

LEGEND:	"RES-1": SERVICE TANK	"PT-1": PILOT
"SER-1": SERVICE	"P-1": PRESSURE	"A-1": DRAIN
"EM-1": EMERGENCY	"A-1": ACCESSORY	"S-1": SOLENOID
"EXH-1": EXHAUST	"D-1": DELIVERY	"S-1": SPRING
"BAL-1": BALANCE	"S-1": SUPPLY	

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC.
STE-CLARE, QUE., AND MAY NOT BE USED, OR REPRODUCED, NOR ITS
CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON
OR COMPANY SAVE WITH THE EXPRESS CONSENT IN WRITING FROM
PREVOST CAR INC.

B	2015/01	O.C. *2013172	Rob.
A	2013/06	O.C. *2012125	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST® Prevost Car Inc. Ste-Clare, Quebec, Canada G0R 2V0			 3/4 ANGLE
METRIC			
ENG. TECH:	Rob.	DATE: 2013/06	APPR: M.J.H.
GENERAL TOL.		ECHELLE: N/A	PODS:
mm ± N/A deg ± N/A		REF. DRAWING:	D140380 D140381
MATERIAL:		INSTALLATION	
FINISH:		N/A	
REF.:		H3-45 WITH KNEELING OPTION	
TITLE: LOW-BUOY ET/OU HIGH-BUOY OPTIONS			
PART NUMBER:		D140407 P4	CAD





I-SHIFT TRANSMISSION OPTION

ALLISON TRANSMISSION WITH RETARDER OPTION


TUBE COLOR CODING		
ACTIVE	COLOR	CIRCUIT
	GREEN	PRIMARY & SUPPLY
	BLACK	ACCESSORIES

NUMEROTATION RANGE:	500 @ 599
LAST NUMBER USED:	506
UNUSED NUMBERS:	.

LEGEND:	
"SER": SERVICE	"RES-1": SERVICE TANK
"EM": EMERGENCY	"P": PRESSURE
"EXH": EXHAUST	"A": ACCESSORY
"BAL": BALANCE	"D": DELIVERY
	"S": SUPPLY
	"PT": PILOT
	"R": DRAIN
	"S": SOLENOID
	"S": SPRING

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. STE-CLAUDE, QUE. AND MAY NOT BE USED OR REPRODUCED, NOR ITS CONTENT OR PART THERE OF, DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY, SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.

C	2018/03	OC *2018011, CD	Rob.
B	2015/02	TOLERANCES ADDED	Rob.
A	2013/06	O.C. *2012125	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST Prevost Car Inc. Ste-Clau. Quebec, Canada GOR 2V0			
ENG. TECH:	Rob.	DATE: 2013/06	APPR: M.J.H.
GENERAL TOL:	mm ± N/A deg ± N/A	ECHELLE: N/A	PODS: D140380 D140381
MATERIAL:	INSTALLATION		
FINISH:	N/A		
REF.:	H3-45		
TITLE:	OPTIONS I-SHIFT OR ALLISON WITH RETARDER TRANSMISSION		
PART NUMBER:	D140407	P5	CD




TUBE COLOR CODING		
LINE TYPE	COLOR	CIRCUIT
---	BLACK	ACCESSORIES

NUMEROTATION RANGE:	600 @ 699	LEGEND:
LAST NUMBER USED:	619	"SER": SERVICE
UNUSED NUMBERS:	600	"EM": EMERGENCY
		"RES-1": SERVICE TANK
		"P": PRESSURE
		"A": ACCESSORY
		"D": DELIVERY
		"S": SUPPLY
		"PT": PILOT
		"A": DRAIN
		"S": SOLENOID
		"S": SPRING

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. SITE-CLARE, QUE., AND MAY NOT BE USED, OR REPRODUCED, NOR ITS CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.

B	2015/01	O.C. •2013172	Rob.
A	2013/06	O.C. •2012125	Rob.
REV	DATE	DESCRIPTION	BY
PREVOST Prevost Car Inc. Site-Clare, Québec, Canada DQP 210			3° ANGLE METRIC
ENG. TECH:	DATE:	APPR:	
Rob.	2013/06	M.J.H.	
GENERAL TOL.	ECHELLE: N/A	PODS:	
mm ± N/A deg ± N/A	REF. DRAWING:	D140380 D140381	
MATERIAL:	INSTALLATION		
FINISH:	N/A		
REF.:	H3-45		
TITLE:	PNEUMATIC STORAGE BAY DOOR LOCKS OPTION		
PART NUMBER:	D140407 P6 CAD		




TUBE COLOR CODING		
LINE TYPE	COLOR	CIRCUIT
---	BLACK	ACCESSORIES

NUMEROTATION RANGE:	600	699
LAST NUMBER USED:	619	
UNUSED NUMBERS:	600	

LEGEND:		
"SER": SERVICE	"RES-1": SERVICE TANK	"PT.": PILOT
"EM": EMERGENCY	"P": PRESSURE	"M.": DRAIN
"EXH": EXHAUST	"A": ACCESSORY	"S": SOLENOID
"BAL": BALANCE	"D": DELIVERY	"SP": SPRING

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF PREVOST CAR INC. STE-CLAUDE, QUE. AND MAY NOT BE USED, OR REPRODUCED, NOR ITS CONTENT OR PART THERE OF DISCLOSED TO OTHERS BY ANY PERSON OR COMPANY SAVE WITH THE EXPRESS CONSENT IN WRITING FROM PREVOST CAR INC.

REV	DATE	DESCRIPTION	BY
C	2015/11	Mise a jour/Update	Rob.
B	2015/01	O.C. #2013172	Rob.
A	2013/06	O.C. #2012125	Rob.
PREVOST® Prevost Car Inc. Ste-Clau, Québec, Canada G0R 2V0			
ENG. TECH:	DATE:	2013/06	APPR:
Rob.			M.J.H.
GENERAL TOL:	mm ±	N/A	deg ±
		N/A	
MATERIAL:	INSTALLATION		
FINISH:	N/A		
REF.:	H3-45		
TITLE:	PNEUMATIC STORAGE BAY DOOR LOCKS OPTION		
PART NUMBER:	D140407 P6	CAD	



TUBE COLOR CODING		
ACTIVE	COLOR	CIRCUIT
---	RED	SECONDARY
---	GREEN	PRIMARY & SUPPLY
---	BROWN	PARKING BRAKE
---	BLUE	STANDARD SUSPENSION
---	BLACK & WHITE	ACCESSORIES
---	YELLOW	COMPRESSOR UNLOAD

A	2021/03	DEMANDE SPECIALE			Rob.
REV	DATE	DESCRIPTION			PAR
PREVOST®					 3° ANGLE
Prevost Car Inc. Ste-Clair, Quebec, Canada G0R 2V0					
					METRIC
TECH. ING.	Rob.	DATE	2021/03	APPR. P.O.	LACHANCE
YOL. GENERALES		mm ± N/A deg ± N/A		ECHELLE: N/A	PODS:
				DESSIN REF.:	D140354SP6
MATERIEL:		INSTALLATION			
FINI:		N/A			
REF.:		H3-45 FRONT BEAM AXLE			
TITRE:		PARKING BRAKE OVERRULE OPTION			
PIECE No:		D140407SP7			CAD

NUMEROTATION RANGE:	001 @ 199	LEGEND:	"RES-1": SERVICE TANK	"PT-1": PILOT
LAST NUMBER USED:	010	"SER": SERVICE	"P": PRESSURE	"M-1": DRAIN
UNUSED NUMBERS:	000	"EM": EMERGENCY	"A": ACCESSORY	"S": SOLENOID
		"EXH": EXHAUST	"D": DELIVERY	"SP": SPRING
		"BAL": BALANCE	"S": SUPPLY	

CE DOCUMENT EST LA PROPRIETE EXCLUSIVE DE PREVOST CAR INC.
SITE-CLARE, QUE ET NE PEUT ETRE UTILISE OU REPRODUIT, NI SON
CONTENU COMPLET OU PARTIEL DEVOIT A D'AUTRES, PAR QUOIQUE CE
SOIT, SANS LE CONSENTEMENT ECRIT DE PREVOST CAR INC.