

X3-45

REV.	DATE	O.C.	EFF.	DESCRIPTION	PAGE(S)	BY	CHECKED	APPROVED
0	2015-05-05	2015007	5241	NAE prototype without new RJB Modify 5241 with new harness	ALL	M.P.	C.Lem.	C.Lem.
1	2016-01-19	2015007	G-6092 G-6114 G-6117	Preliminary NAE Phase 1	ALL	M.P.	C.Lem.	C.Lem.
2	2016-09-01	2016094	H-6182	NAE Phase 2 Add 102 cavities connector (C17) Condensor speed becomes variable instead of 2 speeds	0, F, G, K, 1.1 to 42.3	M.P.	C.Lem.	C.Lem.
3	2016-12-09	2016094	H-6182	Start of production: Connected ACB supply with ABS supply Modify circuit # on sound system, alternator and AFSS Modify connector # on Fan drive control Add pull down resistor on PWM condenser speed control	0, E, J, 1.1, 4.1, 11.1, 13.1, 18.2, 35.6, 38.1, 39.1	M.P.	C.Lem.	C.Lem.
4	2017-01-18	2016094	G-6092 G-6114 G-6117 H-6182	Indirect and hat rack light control with Sw25 VECF update F14 become 30amp instead 5amp	0, 2.1, 4.1, 23.1	M.P.	C.Lem.	C.Lem.

PREVOST®

WIRING DIAGRAM

DWG NO.: D061550P0.1

REV.: 38

X3-45

REV.	DATE	O.C.	EFF.	DESCRIPTION	PAGE(S)	BY	CHECKED	APPROVED
5	2017-04-19	2017009 2017039 2017053	J-7438 J-7439 J-7440 J-7441 J-6227 J-6230 J-6242 J-7443	BIFOLD ENTRANCE DOOR READY SEATBELT ALARM TELEMATICS GATEWAY INTERFACE	0.1,0.2,2.1,4.1,4.2,6.2,10.1, 2.1,19.1,29.1,31.1,32.1,42.3 B,E,G,H,J,L	Gab E.L. E.L.	C.Lem. C.Lem. C.Lem.	C.Lem. C.Lem. C.Lem.
6	2017-07-18	2017072	6245 7448	GLI GENERAL UPDATE	0,1.1,2.1,2.2,3.1,3.2,4.1,4.2, 6.2,10.1,11.1,18.2,28.1,37.1, G,K,L	S.B. E.L.	C.Lem. C.Lem.	C.Lem. C.Lem.
7	2017-10-11	2017072	J-6245 J-7448	GLI GENERAL UPDATE (FORGOTTEN PAGE)	0, 22.2, 39.1	M.P.	C.Lem.	C.Lem.
8	2017-11-03	2017071	J-6281	ELD/ITS Gateway	0, A, C, C1, C2, E, G, J, K, L, 2.1, 2.2, 3.2, 4.1, 4.2, 5.1, 6.2, 15.2, 42.4	G.P.	C.Lem.	C.Lem.
9	2017-12-11	2017040	J-6295 J-7496	ABS8,FLR21 PRELIMINAR:J-7485	0.2,C1.2,6.2,16.1	S.D.	A.B.	A.B.
10	2018-02-05	2016032	J-6296 J-7496	WCL Door	0.2,22.2,36.1	S.B.	C.Lem.	C.Lem.
10-1	2018-04-05	2017020	J-6314	Catch Tank	0.2, 14.1, C, C1, G	G.P.	C.Lem.	C.Lem.

PREVOST®

WIRING DIAGRAM

DWG NO.: D061550P0.2

REV.: 38

X3-45

REV.	DATE	O.C.	EFF.	DESCRIPTION	PAGE(S)	BY	CHECKED	APPROVED
11	2018-03-21	2018044	K-6353	LUGGAGE HARNESS MATCHING WITH L170	0.2, 36.1, C, C1, G	E.L.	C.Lem.	C.Lem.
12	2018-04-09	2018044	K-6353	UPDATE	0.2, 0.3, C, C1, G	G.P.	C.Lem.	C.Lem.
13	2018-05-25	2018011	K-6361	RELS	0, 15.1, 26.2, C1, G	G.P.	C.Lem.	C.Lem.
14	2018-08-23	2015007	K-6361	IShift NAE UPDATE	3.2, 17.1 0, K, 4.1, 4.2, 15.2	M.P.	C.Lem.	C.Lem.
15	2018-10-24	2018060	K-6417	KLAXON PNEUMATIQUE	0, C1, G	G.P.	C.Lem.	C.Lem.
16	2018-11-05	2018108	K-6418	INVERTER DRIVER DISPLAY CABLE	0, 2.2, 40.1, C1, E, G	E.L.	C.Lem.	C.Lem.
		N/A	K-7587 -----	COM EFFECTIVITY PAGES UPDATED	17.1, 18.2, 20.1, 35.9			
17	2018-12-04	2017130	J-6301	FRONT DEFROSTER UNIT	0, 18.1	E.L.	C.Lem.	C.Lem.
18	2018-12-12	2018051	J-6313 K-6432	HARNESS CHAIN FOR WCL DOOR	0, C1	S.B.	C.Lem.	C.Lem.
19	2019-01-08	2018055	K-7600 K-6440	OBD19	0, 3.2, 8.1, 14.2, 15.1, 19.1, A,	G.P.	C.Lem.	C.Lem.
		2018110	K-7608 K-6440 K-7608	GIGAVAC	C1, G, H 3.1	G.P.	C.Lem.	C.Lem.

PREVOST®

WIRING DIAGRAM

DWG NO.: D061550P0.3

REV.: 38

X3-45

REV.	DATE	O.C.	EFF.	DESCRIPTION	PAGE(S)	BY	CHECKED	APPROVED
19	2019-01-08	2018012	K-6440	REMY ALTERNATOR READY	1.1, 1.2, 2.1, 2.2	G.P.	C.Lem.	C.Lem.
			K-7608		5.1, 17.1	S.B.	C.Lem.	C.Lem.
20	2019-01-28	2018042	K-6453	New water preheat	0, C1,L,G,K, 5.1, 17.1	S.B.	C.Lem.	C.Lem.
			K-7621					
21	2019-05-28	2015142	L-6495	OPP2 Project new window layout	0, A,1.1, 2.2, 3.2, 4.1, 4.2, 5.2,	S.B.	C.Lem.	C.Lem.
		2017121		Aesys new destination signs	10.1,11.1,12.1,15.1,18.3, 19.1	E.L.		
		2018156		(Minerva) Surrounding Cameras system	20.1, 21.1, 22.2, 23.1, 26.5,	G.P.		
		2019026		w/ISM	27.1, 28.1, 28.2, 35.2, 35.6,			
				TGW2 : AM-FM Antenna	35.7, 35.9, 37.1, 44.0, G, C1			
22	2019-06-19	2019083	L-6513	Replaced pitman arm switch by steering	0, 2.1, 32.1	M.P.	A.B.	A.B.
			L-7674	angle sensor				
23	2019-07-05	2019093		Dashboard Foot Damper Obsolescence	0, G, 18.1	Gab	C.Lem.	C.Lem.
		2018149	L-6516	TPMS Gateway	6.2, 39.1	Gab	A.B.	A.B.
			L-7684			S.B.	C.Lem.	C.Lem.
24	2020-01-28	2020002	L-6614	Urée PWR	0, 3.1, 5.1,14.2,26.5, G, C	S.B.	C.Lem.	C.Lem.
			L-7732					
25	2020-03-17	2019037	L-6666	Driver assist	0, A, C1, 2.1, 4.1, 6.2, 10.1,	M.P.	M.L.	M.L.
			L-7760	Digital driver light dimmer	16.2, 39.1			
					19.1	G.P.		

PREVOST

WIRING DIAGRAM

DWG NO.: D061550P0.4

REV.: 38

X3-45

REV.	DATE	O.C.	EFF.	DESCRIPTION	PAGE(S)	BY	CHECKED	APPROVED
26	22/02/2021	2021001		OBD21 UPDate EMirrors SB247 Sound system VSS06	0,3.2,4.1,5.1,6.2,12.1,14.1,C 17.1 4.2, G,2.1, 31.2, A 45.0 35.3, 35.6	S.B. S.B. SC SC SC	C.Lem. C.Lem. C.Lem. C.Lem. C.Lem.	C.Lem. C.Lem. C.Lem. C.Lem. C.Lem.
27	24/08/2021	2020017		SB247 Update	0,45.0	SC	C.Lem.	C.Lem.
28	2021/11/29	2022001		OBD22 UPDATE	0,14.2,C1, G K, 4.1, 1.2,18.2	S.B.	G.P	G.P
29	2022-05-18	2021070	P6798	TPMS, UPDate	0,39.1,C1,G,1.1,41.1	S.B.	M.L	M.L
30	2022-10-27	NA		Update	0, 41.1, 29.1, 30.3, A	S.B.	D.T	D.T
31	2022-12-1	2021102		Speacker Visaton	0, 35.2, 35.6	S.B	GP	GP
32	2023-03-30	2022123		New Condenser Fan Spal	0, 5.1, 18.2	P.G.	EO	EO
33	2023-12-14	2022123		UPDate New Condenser Fan Spal	0,3.1, 14.1, 5.1, G, C1, L, 18.2 2.2	SB	EO	EO
34	2024-04-04	2023115		Release2024R1	0,34.1,37.1,C1,G,H	A.S.	E.O	E.O
35	2024-05-16	2023053		New Pre-heater L3 Hydronics	0,3.1,3.2,5.1,17.1,A,C1,L	A.S	E.O	E.O
36	2024-12-10	2024096		MCM2	0.5,3.1,3.2,4.2,6.1,6.2,7.1,9.1, 12.1,14.1,15.1,26.1, 29.1, 38.1	PG	AB	AB

PREVOST

WIRING DIAGRAM

DWG NO.: D061550P0.5

REV.: 38

X3-45

REV.	DATE	O.C.	EFF.	DESCRIPTION	PAGE(S)	BY	CHECKED	APPROVED
37	2025-01-20	2024096	S-4328	MCM2	0.6, C1, E, F, G, H, J, K, L	PG	AB.	AB
38	2025-01-20	2024096	S-4328	MCM2	0.6, B1, B2	PG	AB	AB

PREVOST®

WIRING DIAGRAM

DWG NO.: D061550P0.6

REV.: 38