



WIRING DIAGRAM LE MIRAGE BUS SHELL XL2

PREVOST



REFERENCE: STANDARD - MODEL

NO: 0060921

EFF. W/ OC# 97058 PRIOR TO / OC#

DR. MARTIN LAFLAMME DATE: 99-06-21

EFF. W/ VEH.# W6451, Y6856, 6924, 6991, 7003, 7018, 7026, 7046... PRIOR TO / VEH.#

CK. SYLVAIN DESBIENS APPR. ROLAND LAPOINTE

| REV. | DATE | DESCRIPTION | PAGE | BY | CK. | APPR. |
|------|----------|---|--|----------------|-------------|-------------|
| 01 | 17/08/99 | CLUSTER POLLAK OC *99003 | C, 4.1, 7.1 | PG | R | R |
| 02 | 20/10/99 | UPDATE | ALL | PG | R | R |
| 03 | 3/12/99 | DOOR AIR LOCK CYLINDER OC*99132 & UPDATE | A,C,E,G,I,K,2.1,4.1 5.1,7.1,7.2,8.1,9.1, 11.2,12.1,12.2,20.1 M,B,15.3,1.2 . | JR | R | R |
| 04 | 17/04/00 | NEW FIRE DETECTOR OC*99091 EFF.: Y-7230 WATER PROTECTION FRONT JCT BOX OC*99107 EFF. Y-7265 NEW HVAC DASH CONTROL OC*00016 EFF.: Y-7268 UPDATE | 7.2 C,G,15.2 B,M,1.2,7.1,9.3,23.1 | JR JR JR | R R R | R R R |
| 05 | 11/05/00 | SOLDERING REMOVED ON 136A WIRES OC*99083 EFF. Y-7311 | C, 6.1 | MLAF | R | R |
| 06 | 12/06/00 | NEW SENSOR HARNESS FOR WTEC TRANSMISSION OC*00019 EFF. : 1-7352 | C, 6.2,10.1 | JR | R | R |
| 07 | 05/07/00 | ELECTRICAL SYSTEM IMPROVMENT (F32 & F62 ADDED) OC*00075 EFF: 1-7412 NEW 62R RELAY ON KEYLESS PANEL CONTROL OC*00053 EFF: 1-7412 | C,E1,E2,E3,F,G3,I,L 2.1,4.1,5.1,8.1,11.2 12.1,12.2,14.1,17.1 18.1,19.1 | SD | SD | R |
| 08 | 05/09/00 | BATTERY MONITOR FUSE ADDED OC*00064 EFF: 1-7462 NEW DELPHI THERMISTOR FOR DRIVER TEMP. OC*00091 EFF: 1-7494 UPDATE | C,1.2 C 15.3,22.1 | SD | SD | R |

WIRING DIAGRAM LE MIRAGE BUS SHELL XL2 0060921 P2

| REV. | DATE | DESCRIPTION | PAGE | BY | CK. | APPR. |
|------|----------|--|---|------------------------------|--------------|----------------------|
| 09 | 10/10/00 | ISOLATED GROUND OT5 FOR HVAC DASH MODULE OC*00126 EFF: 1-7464 | E,3.1,15.1,15.2 | E.L. | S.D. | <i>R</i> |
| 10 | 17/11/00 | ADD 12 VD IN DDR CONNECTOR OC*2000119 EFF: 1-7532 | C,E,F,2.1,5.1,6.1,7.1 | S.D. | S.D. | <i>R</i> |
| 11 | 04/12/00 | NEW HVAC DASH CONTROL HEAT DRIVER'S ONLY OC*2000093 EFF: 1-7548 | C,7.1,15.1 | E.L. | S.D. | <i>R</i> |
| 12 | 11/04/01 | BLINK CODE SWITCH REMOVE & NEW ABS ECU OC*2001009 EFF: 1-7649 UPDATE | E, 3.1, 22.1 8.1, 17.1SP1 | S.G. E.L. | S.D. S.D. | <i>R</i> <i>R</i> |
| 13 | 19/07/01 | ABS SERVICE LAMP REMOVED AND REPLACED BY RESISTOR O.C.*2001026 EFF: 2-7739 | J, 22.1 | S.G. | S.D. | <i>R</i> |
| 14 | 27/08/01 | NEW MIRROR CONNECTOR CONXALL O.C.*2001082 EFF: 2-7764 OPTION WATER HEATER DELETED O.C.*2000018 EFF: 2-7765 | A, C, D, E, F, G, I, L 1.1, 7.2, 11.2, 15.3 | SG, ML | S.D. | <i>R</i> |
| 15 | 22/10/01 | NEW AIR DRYER O.C.*2000199 EFF: 2-7800 | A, C, G, L, 1.1, 8.1 | S.G. | S.D. | <i>R</i> |
| 16 | 01/11/01 | ENTRANCE DOOR LOCK SOL. VALVE RELOCATED OC*2001019 EFF: 2-7800 | C, E, 7.2, 20.1 | E.L. | S.D. | <i>R</i> |
| 17 | 12/12/01 | NEW SYSTEM ABS 12 VOLTS OC*2001163 EFF: 2-7833 UPDATE | C, E, F, G, I, J, 1.1 2.1, 22.1, 23.1 7.1 | S.G. | E.L. | <i>R</i> |
| 18 | 08/01/02 | CYCLOP LTS NEW FEEDING OC*2001181 EFF: 2-7843 UPDATE | C, 9.3 22.1 | MLAF S.G. | S.D. S.D. | <i>R</i> |
| 19 | 22/03/02 | CYCLOP LTS UPDATE WITH R80 SAME OC*2001181 EFF: 2-7843 PASS.WATER VALVE WITH C155 (Berkert) OC*2001185 EFF: 2-7882 DELCO ALT. CABLE SUPPORT OC*2002008 EFF: 2-7891 TWIN BOSCH ALT. OPTION ENTERTAINER ONLY OC*2001168 EFF: 2-7908 | C, i, 9.3 G, 15.3 4.2 4.1,4.3,23.1 | E.L. E.L. E.L. E.L. | S.D. | <i>R</i> |
| 20 | 08/07/02 | UPDATE PAGE 10.1, DISCARD REV.06 (MOV HAS NEVER BE USED) PARKING BRAKE PRESSURE SWITCH FOR TTLT MODULE - O.C.*2002079 EFF:3-7958 BACK TO WABCO ELECTRICAL AIR DRYER - O.C.*2002057 EFF:3-7993 | 10.1 8.1 E, 8.1 | E.L. | E.L. | <i>R</i> |
| 21 | 19/07/02 | WORLD TRANSMISSION SHROUDED CONNECTORS - O.C.*2002049 EFF.: 3-7985 UPDATE PAGE | C E | E.L. | S.D. | <i>R</i> |
| 22 | 04/12/02 | BIGGER VANNER/BATTERIE CABLES OC*2002114 EFF: 3-8147 NEW UPPER DEFROST FAN WE ONLY OC*2002060 EFF: 3-8131 | B, 1.2 C, E, F, G, I, J, 1.1,4.3,15.4 | S.D. S.D. | S.D. S.D. | <i>R</i> <i>R</i> |
| 23 | 07/01/03 | NEW STARTER MELCO OC*2002053 EFF: 3-8121 | 4.2 | S.G. | E.L. | <i>R</i> |
| 24 | 23/04/03 | SPEED SW. ADD FOR DIFFERENTIEL LOCK (SPECIAL REQUEST) | 17.1SP1 | MLAF | | |

WIRING DIAGRAM LE MIRAGE BUS SHELL XL2 0060921 P3

| REV. | DATE | DESCRIPTION | PAGE | BY | CK. | APPR. |
|------|----------|---|------------------------------|------|------|--------|
| 25 | 27/09/06 | OPTION A/C ON ROOF (WE ONLY) EFF.: 6-8638 | 4, 3SP1, 15.5, 15.6, 15.7 | S.L. | S.D. | M.J.H. |