

PREVOST

ENREGISTRÉ - REGISTERED
ISO 9001 & ISO 14001

**WARRANTY
BULLETIN**

Wb03-05



DATE : FEBRUARY 2003	SECTION : 23 - Accessories
EXPIRATION: FEBRUARY 2005	
SUBJECT : APPLICATION OF A PROTECTIVE STRIPE ONTO THE SLIDE-OUT PAINTED LATERAL PANEL	

APPLICATION

Model	VIN	
H3-45 VIP Bus Shell with Slide-Out option Model Year : 2000 - 2004	2PCV33496Y1014010	2PCV3349331014345
	2PCV3349131014392	2PCV3349631014419
	2PCV3349031014433	2PCV3349831014437
	2PCV3349131014439	2PCV3349331014443
	2PCV3349031014447	2PCV3349631014453
	2PCV3349731014462	2PCV3349631014467
	2PCV3349131014523	2PCV3349X31014553
	2PCV3349131014568	2PCV3349741014589
	2PCV3349131014604	2PCV3349031014626
XL2-45 Bus Shell with Slide-Out option Model Year : 2000 - 2004	From 2PCW33492Y1027003 up to 2PCW3349621027898 incl.	
	and also	
	2PCW3349631027966	2PCW3349831027970
	2PCW3349X31027985	2PCW3349931027993
	2PCW3349431027996	2PCW3349X31028005
	2PCW3349541028009	2PCW3349531028011
	2PCW3349631028017	2PCW3349131028023
	2PCW3349031028045	2PCW3349731028060
	2PCW3349831028066	2PCW3349731028074
	2PCW3349231028080	2PCW3349X31028098
	2PCW3349131028104	2PCW3349731028110
	2PCW3349331028119	2PCW3349331028122

	except
2PCW3349521027844	2PCW3349821027871
2PCW3349421027883	2PCW3349X21027886
2PCW3349321027888	2PCW3349121027890
2PCW3349521027892	

DESCRIPTION

On the above-mentioned vehicles, a vinyl protective stripe is added onto the slide-out painted lateral panels in order to prevent dirt coming from the seal to tarnish the paint. This improvement may have been performed at the factory, in this case, do not take this bulletin into consideration.

MATERIAL

Part No.	Description	Qty
684460	Vinyl Tape, Black Self-Adhesive – 1 9/16" width	1

Note: Material can be obtained through regular channels.

PROCEDURE

Warning: Park vehicle safely, apply parking brake, stop engine and set battery master switch(es) to the OFF position prior to working on the vehicle.

Note: In addition to the above-mentioned material you will need a multi-purpose snap-off type cutter, some degreaser, some lint free clothes and a plastic scraper.

1. Extend the slide-out by about 2 feet.

Note: Make sure the vinyl protective stripe is required. Vinyl stripe is required only if lateral panels have been painted. Do not apply protective stripe onto glass or if only primer has been applied.

2. Clean out lateral panel surface using degreaser. Use lint free cloth to immediately dry surface off before product evaporation.
3. Unroll vinyl protective stripes, measure and pre-cut the necessary lengths.
4. Remove a length of 4 inches from self-adhesive vinyl tape protective film. Position the protective stripe onto each lateral panel and also underneath slide-out (refer to figures 1, 2 and 3).

Note: Do not apply vinyl protective stripe to the areas indicated in figure 2. Make sure vinyl stripe is positioned correctly due to the fact that it is difficult to remove once installed.

5. Use a plastic scraper inside a lint free cloth to press against the protective stripe while taking care to gradually detach the protective film from the back. Use the scraper to eliminate air bubbles trapped underneath the stripe. Do not affix the protective stripe completely before using the scraper.

Note: If a protective stripe must be partially or completely replaced, use a hair dryer to heat the stripe in order to facilitate removal.




FIGURE 1




FIGURE 2 : UNDERNEATH SLIDE-OUT




FIGURE 3 : LATERAL PANEL

WARRANTY

This modification is covered by Prévost Car's normal warranty. We will reimburse you the parts and half an hour (0.5) of labor upon receipt of a completed A.F.A. form on which you must specify as per "Warranty Bulletin 03-05".

Parts / Waste disposal:

Discard waste according to applicable environmental regulations (Municipal/State[Prov.]/ Federal)